

## Labeling & Filling Systems

# Stick


### <u>Automatic Labeling Machine</u>

Food Industry - Chemistry - Cosmetic - Detergency - Painting - Pharmacy

## Stick

#### Semi Automatic Labeling Machine





### **General Description**

The Stick is an independent labeling head to either integrates on a conveyor or onto a separate chassis to label cartons, cylindrical, square and rectangular products. This machine can also be set on a stand built on wheels and adjustable in height (optional) and can be outfitted with 1 or 2 labeling heads. Easy control of the machine by a touch-screen display.

#### Technical characteristics

- ▶ The single label dispenser can be integrated to an already existing packaging line thanks to its holder adjustable in height and width by a crank;
- ▶ This machine can also be outfitted with an adjustable head to apply labels on top of a product;
- ▶ The label dispensers are outfitted with asynchronous motors regulated by frequency converters;
- Product detection by optical sensor;
- ▶ Variable speed from 8 to 16 m/minute or from 16 to 32 m/minute;
- Power supply: 220V 50 Hz.

#### Dimensions of the label rolls

A - Inside diameter: 75 mm

B - Outside max diameter: 260 mm

C - Max. band height: 190 mm

D - Space between labels: 3-5 mm

c CDA CD

Winding Direction: Left Out



# Labeling & Filling Systems